



Your procurement partner

**PRINCIPALS: Zhiping Gu & Yolanda Torrisi**

[www.asias-connections.com](http://www.asias-connections.com)

CHINA	AUSTRALIA
<b>MrZhipingGu</b>	<b>Ms Yolanda Torrisi</b>
Room 705, TowercastPlaza	1 Sevenoaks Street
No 3. Miazidian West Road	Balwyn, Melbourne, Victoria, 3103
Chaoyang District, Beijing, China 100016	Australia
Phone : +86 10 845 80316	Phone : +61 412 261 870
Fax : +86 10 64672716	Fax: +61 3 9816 9048
Email: <a href="mailto:zhipinggu@163.com">zhipinggu@163.com</a>	<a href="mailto:yolanda@yolandatorrisi.com">yolanda@yolandatorrisi.com</a>
	<a href="mailto:enquiries@asias-connections.com">enquiries@asias-connections.com</a>

**Equipment SupplyReference List  
for  
ASIA's Resource Connections  
Vanture International Joint Venture  
(ARC-Vanture JV)  
from 2009-2016**

No.	Description	Specification	Q'ty	Country	Year
1	Hi rate thickener NXZ-15G	Diameter 15m, capacity: 400-600m <sup>3</sup> /h	1	South Africa	2009
2	Hi rate thickener NXZ-8G	Diameter 8m, capacity:10m <sup>3</sup> /h	1	South Africa	2009
3	Rougher flotation cells, BF-16	5 cells, each cell 16 m <sup>3</sup>	1	South Africa	2009
4	Hi tension mill motor	520KW, 11KV, 1000rpm, IP54, class F	3	South Africa	2009
5	Mill liner	Alloy steel liner	60t	South Africa	2009
6	Mill liner	Alloy steel liner	60t	South Africa	2010
7	Rougher flotation cells, BF-16	5 cells, each cell 16 m <sup>3</sup>	1	South Africa	2010
8	Mill liner	Alloy steel liner	60t	South Africa	2011
9	Hi tension mill motor	750KW, 11KV, IP54, class F	2	South Africa	2011
10	Transformer	20MVA 88KV/11KV	3	South Africa	2011
11	Vibrating screen	ZK1524	1	Philippines	2011
12	Jaw crusher PE0912	Feed opening: 900x1200mm Width of discharge:95-225mm Max feed size: 780mm Capacity: 480-704 t/h, 132kw	1	DRC	2012
13	Impact crusher PF1415	Max feed size: 350mm Feed opening: 1145 x 1520mm Capacity :220-450 t/h	1	DRC	2012
14	Girth gear	Diameter 5.5m	1	South Africa	2012
15	SAG mill	Diameter 6.4mx4.12m (length)	2	South Africa	2012
16	Ball mill	Diameter 6.4mx6.4m (length)	1	South Africa	2012
17	Gearbox	3584kw, 204.5rpm, used for mill	1	South Africa	2012
18	Hi tension mill motor	560kw, 6KV, IP54	1	South Africa	2012
19	Cone crusher H400	Max feed size: 130mm, Output:175-780t/t at 10mm-50mm discharge setting	2	South Africa	2013
20	Gearbox	1778kw, 259rpm, used for mill	1	South Africa	2013
21	Brass bearing	Material: IBz-34, used for SAG and ball mill diameter 6.4m	3	South Africa	2013
22	Gearbox	For 5500KW for ball mill	1	South Africa	2013
23	Hi tension mill motor	560kw, 6KV, IP54, class F	1	South Africa	2013
24	Riding ring	For kiln	1	South Africa	2013
25	Motor and controller	For battery powered locomotiveS	20	Philippines	2013
26	Forged grinding balls	For ball mill	40 t	Philippines	2013
27	Gearbox	For 3350KW SAG mill	1	South Africa	2014
28	Hi-Cr grinding ball	Cast balls for ball mill	100t	Eretria	2014
29	Mine rail	18kg/m, 22kg/m	84t	Philippines	2014
30	Hi tension mill motor	3350KW, 11KV, IP54, class F	1	South Africa	2014

31	Hi tension mill motor	5500KW, 11KV, IP54, class F	1	South Africa	2014
32	Trunnion head	For ball mill	1	South Africa	2014
33	Pinion device	For SAG and ball mill diameter 6.4m	1	South Africa	2015
34	Feed head	Ø3899, for ball mill	1	South Africa	2015
35	Throat & rubber liners assembly	For ball mill	1	South Africa	2015
36	Girth gear and pinion	Ø5462x761mm, for ball mill	1	South Africa	2015
37	Grinding media	Ø50mm and Ø75mm, forged	300t	DRC	2016
38	Vacuum belt filter	3.5M <sup>2</sup> /1000	1	Senegal	2016
39	Concentrator	STLB30	1	Australia	2016
40	Wood pellet mill	SZLH350MX	1	Australia	2016
41	Slurry pump	2/1.5B-AHR	1	Australia	2016
42	Conveyor belt	B1050x400m, B1350x300m	2	Zimbabwe	2016
43	Girth gear	For dia. 6.4m SAG mill and ball mill	1	South Africa	2016